

Final Exam
MMATH-I: MATH-I
Fall 2025

Points of attention:

- For each question, the maximum earned points are specified in the question.
- Write clearly! Answers that are not readable are not marked and don't earn marks!
- All answers should be written in English using **blue or black pens** only.
- Use the pencil only for diagrams and graphs.
- Show all the calculation steps in the given space.
- When finished, submit the question paper, together with the answer scripts and the signed cover page to the invigilator.
- Any cheating/copying may result in an instant failing of the examination.

Exam Duration: 2 hours
Instructor's Name: Dr. Taofeek Olanrewaju Alade
Exam Date: 28/12/2025
Program: ME

	40
	10

Student Information

Name: ID:
Signature:

Invigilator

Initials: Student ID checked
Time received:

Question 1**[8 marks]**

- a. A wave sensor on a training vessel records the motion of the ship, is modelled by a trigonometric function given by

$$5 \sin 2t + \cos 2t$$

Express the motion in the standard wave form $A \cos(\omega t - \alpha)$, where $\alpha \geq 0$. (5 marks)

b. Show that

$$\cos 3A = 4 \cos^3 A - 3 \cos A$$

(3 marks)

Question 2**[6 marks]**

A marine training academy records the weekly working hours of its crew members and groups the data as follows:

Crew Working Hours (class boundaries)	Frequency
39.5 – 44.5	9
44.5 – 49.5	5
49.5 – 54.5	4
54.5 – 59.5	12
59.5 – 64.5	6

Using this grouped frequency distribution, determine the standard deviation and the variance of the crew's weekly working hours.

Question 3**[5 marks]**

A ship starts at O and travels for 10 km on a bearing of 42° to arrive at A . From O point B has a bearing of 90° (i.e. due east of O) and is distant 21 km from O . Calculate the bearing the ship must take from A so as to travel directly to B .

Question 4**[8 marks]**

A. As a marine engineering student studying statistical modelling for fleet management, you are analyzing data that estimate the average number of personnel held across all U.S. naval detention facilities on any given day. The average daily population is 706,242, and the distribution is assumed to be normal, with a standard deviation of 52,145.

Using this information, determine the probability that on a randomly selected day the personnel count is:

- i. Greater than 750,000 (2 marks)
- ii. Between 600,000 and 700,000 (3 marks)

- B. To qualify for a marine engineering cadetship, applicants are required to complete a technical fitness assessment related to shipboard operations. The test scores are normally distributed with a mean score of 64 and a standard deviation of 9. Due to limited training slots, only the top 20% of applicants are selected for admission. Determine the cutoff score required to qualify for the program. (3 marks)

Question 5**[6 marks]**

A naval architect models the waterline of a ship section by the curve:

$$y = 3x^3 - 2x^2, 0 \leq x \leq 3$$

Use the Trapezoidal rule with 6 strips to estimate the total area of this section. Round your answer to two decimal places.

Question 6**[7 marks]**

A marine navigation trainee is studying great-circle routes on the globe. In one spherical triangle XYZ traced on Earth's surface, the measured angles are: $X = 90^\circ$, $Y = 100^\circ$ and $Z = 87^\circ$.

Sketch the spherical triangle and calculate:

(1 mark)

a. side YZ

(2 marks)

b. side XZ

(2 marks)

c. side XY

(2 marks)

Trigonometrical identities

$$\sin(A + B) = \sin A \cos B + \sin B \cos A$$

$$\cos(A + B) = \cos A \cos B - \sin A \sin B$$

$$\sin(A - B) = \sin A \cos B - \sin B \cos A$$

$$\cos(A - B) = \cos A \cos B + \sin A \sin B$$

$$\cos^2 A + \sin^2 A = 1$$

Law of Cosine Rule

$$a^2 = b^2 + c^2 - 2bc \cos A$$

$$b^2 = a^2 + c^2 - 2ac \cos B$$

$$c^2 = a^2 + b^2 - 2ab \cos C$$

Law of Sine Rule

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

Napier's Rules

Sine middle part = Product cosines of opposite parts

Sine middle part = Product of tangents of adjacent parts

Trapezoidal Rule

$$Area = \frac{h}{2} [y_0 + 2(y_1 + y_2 + y_3 + \cdots + y_{n-1}) + y_n]$$

Standard deviation

$$\sqrt{\frac{\sum f(x - \bar{x})^2}{\sum f}}$$

TABLE E The Standard Normal Distribution										
Cumulative Standard Normal Distribution										
z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-3.4	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0002
-3.3	.0005	.0005	.0005	.0004	.0004	.0004	.0004	.0004	.0004	.0003
-3.2	.0007	.0007	.0006	.0006	.0006	.0006	.0006	.0005	.0005	.0005
-3.1	.0010	.0009	.0009	.0009	.0008	.0008	.0008	.0008	.0007	.0007
-3.0	.0013	.0013	.0013	.0012	.0012	.0011	.0011	.0011	.0010	.0010
-2.9	.0019	.0018	.0018	.0017	.0016	.0016	.0015	.0015	.0014	.0014
-2.8	.0026	.0025	.0024	.0023	.0023	.0022	.0021	.0021	.0020	.0019
-2.7	.0035	.0034	.0033	.0032	.0031	.0030	.0029	.0028	.0027	.0026
-2.6	.0047	.0045	.0044	.0043	.0041	.0040	.0039	.0038	.0037	.0036
-2.5	.0062	.0060	.0059	.0057	.0055	.0054	.0052	.0051	.0049	.0048
-2.4	.0082	.0080	.0078	.0075	.0073	.0071	.0069	.0068	.0066	.0064
-2.3	.0107	.0104	.0102	.0099	.0096	.0094	.0091	.0089	.0087	.0084
-2.2	.0139	.0136	.0132	.0129	.0125	.0122	.0119	.0116	.0113	.0110
-2.1	.0179	.0174	.0170	.0166	.0162	.0158	.0154	.0150	.0146	.0143
-2.0	.0228	.0222	.0217	.0212	.0207	.0202	.0197	.0192	.0188	.0183
-1.9	.0287	.0281	.0274	.0268	.0262	.0256	.0250	.0244	.0239	.0233
-1.8	.0359	.0351	.0344	.0336	.0329	.0322	.0314	.0307	.0301	.0294
-1.7	.0446	.0436	.0427	.0418	.0409	.0401	.0392	.0384	.0375	.0367
-1.6	.0548	.0537	.0526	.0516	.0505	.0495	.0485	.0475	.0465	.0455
-1.5	.0668	.0655	.0643	.0630	.0618	.0606	.0594	.0582	.0571	.0559
-1.4	.0808	.0793	.0778	.0764	.0749	.0735	.0721	.0708	.0694	.0681
-1.3	.0968	.0951	.0934	.0918	.0901	.0885	.0869	.0853	.0838	.0823
-1.2	.1151	.1131	.1112	.1093	.1075	.1056	.1038	.1020	.1003	.0985
-1.1	.1357	.1335	.1314	.1292	.1271	.1251	.1230	.1210	.1190	.1170
-1.0	.1587	.1562	.1539	.1515	.1492	.1469	.1446	.1423	.1401	.1379
-0.9	.1841	.1814	.1788	.1762	.1736	.1711	.1685	.1660	.1635	.1611
-0.8	.2119	.2090	.2061	.2033	.2005	.1977	.1949	.1922	.1894	.1867
-0.7	.2420	.2389	.2358	.2327	.2296	.2266	.2236	.2206	.2177	.2148
-0.6	.2743	.2709	.2676	.2643	.2611	.2578	.2546	.2514	.2483	.2451
-0.5	.3085	.3050	.3015	.2981	.2946	.2912	.2877	.2843	.2810	.2776
-0.4	.3446	.3409	.3372	.3336	.3300	.3264	.3228	.3192	.3156	.3121
-0.3	.3821	.3783	.3745	.3707	.3669	.3632	.3594	.3557	.3520	.3483
-0.2	.4207	.4168	.4129	.4090	.4052	.4013	.3974	.3936	.3897	.3859
-0.1	.4602	.4562	.4522	.4483	.4443	.4404	.4364	.4325	.4286	.4247
-0.0	.5000	.4960	.4920	.4880	.4840	.4801	.4761	.4721	.4681	.4641

For z values less than -3.49, use 0.0001.




TABLE E (continued)										
Cumulative Standard Normal Distribution										
z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359
0.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753
0.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141
0.3	.6179	.6217	.6255	.6293	.6331	.6368	.6406	.6443	.6480	.6517
0.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879
0.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224
0.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549
0.7	.7580	.7611	.7642	.7673	.7704	.7734	.7764	.7794	.7823	.7852
0.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133
0.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389
1.0	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621
1.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	.8830
1.2	.8849	.8869	.8888	.8907	.8925	.8944	.8962	.8980	.8997	.9015
1.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177
1.4	.9192	.9207	.9222	.9236	.9251	.9265	.9279	.9292	.9306	.9319
1.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441
1.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545
1.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633
1.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706
1.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767
2.0	.9772	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817
2.1	.9821	.9826	.9830	.9834	.9838	.9842	.9846	.9850	.9854	.9857
2.2	.9861	.9864	.9868	.9871	.9875	.9878	.9881	.9884	.9887	.9890
2.3	.9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916
2.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	.9936
2.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952
2.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964
2.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	.9974
2.8	.9974	.9975	.9976	.9977	.9977	.9978	.9979	.9979	.9980	.9981
2.9	.9981	.9982	.9982	.9983	.9984	.9984	.9985	.9985	.9986	.9986
3.0	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990
3.1	.9990	.9991	.9991	.9991	.9992	.9992	.9992	.9992	.9993	.9993
3.2	.9993	.9993	.9994	.9994	.9994	.9994	.9994	.9995	.9995	.9995
3.3	.9995	.9995	.9995	.9996	.9996	.9996	.9996	.9996	.9996	.9997
3.4	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9998

For z values greater than 3.49, use 0.9999.

Source: Elementary Statistics- A step by step approach- tenth edition-Allan G. Bluman

MLO & Bloom's Level of Complexity

Q #	MLO Addressed	Complexity Level	Mark	Remark
3, 6	2,5	Application	12	--
5	3	Application, Analysis	6	--
2	1	Remembering	6	--
1	4	Evaluating	8	--
4	3	Analysis	8	--

References:

1. Anthony Croft, R. D. and Davison, M. H., 2015. Mathematics for Engineers. 4th edition. Harlow: Pearson Education Limited.
2. Earl, G. E., Robinson, D. M., and Ward, J., 2007. Munro's Mathematics for Deck Officers. 5th edition. Glasgow: Brown, Son & Ferguson, Ltd.